

Printing date 14.05.2014

Revision: 29.04.2014

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: MULTIFILL SMALTO 1-8mm
- **Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealing mortar
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
- ISOMAT S.A. Building Chemicals & Mortars 17th km Thessaloniki-Ag.Athanasios GR-57003 Ag. Athanasios
- Further information obtainable from: purchase@isomat.gr
- Emergency telephone number: ++30-2310-576000

# 2 Hazards identification

• Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

# <u>Classification according to Directive 67/548/EEC or Directive 1999/45/EC</u>

Xi; Irritant

R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.

Xi; Sensitising

R43:

May cause sensitisation by skin contact.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. • Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

### · Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labelling:
- Cement, portland
- Hazard statements
- H315 Causes skin irritation. H318 Causes serious eye damage.

(Contd. on page 2)

GB

**isomat** 

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.05.2014

Revision: 29.04.2014

### Trade name: MULTIFILL SMALTO 1-8mm

	(Contd. of page 1)
H317 May cause a	n allergic skin reaction.
H335 May cause r	espiratory irritation.
· Precautionary stat	ements
P102	Keep out of reach of children.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
• Other hazards	
The product does	not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or
formaldehydes.	
· Results of PBT an	d vPvB assessment
• <b>PBT:</b> Not applicab	le.
	11

• **vPvB:** Not applicable.

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

Dungerous compone	2015.	
CAS: 65997-15-1	Cement, portland	25-50%
EINECS: 266-043-4	🗙 Xi R37/38-41; 🗙 Xi R43	
	📀 Eye Dam. 1, H318; 🕕 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE	
	<i>3</i> , <i>H</i> 335	

• Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

#### · Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing:* If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB



Printing date 14.05.2014

Revision: 29.04.2014

(Contd. of page 2)

#### Trade name: MULTIFILL SMALTO 1-8mm

· Advice for firefighters

· Protective equipment: No special measures required.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up: Pick up mechanically.*
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling No special measures required.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, portland

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust \*\*respirable dust

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

GB



Printing date 14.05.2014

Revision: 29.04.2014

### Trade name: MULTIFILL SMALTO 1-8mm

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

Information on basic physical General Information	and chemical properties
· Appearance:	
Form:	Solid
Colour:	According to product specification
· Odour:	Odourless
• Change in condition Melting point/Melting range Boiling point/Boiling range:	
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Density at 20 °C:	1.18 g/cm <sup>3</sup>
<ul> <li>Solubility in / Miscibility with water:</li> <li>Other information</li> </ul>	Soluble. No further relevant information available.

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)



Printing date 14.05.2014

Revision: 29.04.2014

### Trade name: MULTIFILL SMALTO 1-8mm

(Contd. of page 4)

### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

## 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

#### · Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number ADR, ADN, IMDG, IATA	Void	
UN proper shipping name ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	



Printing date 14.05.2014

Revision: 29.04.2014

### Trade name: MULTIFILL SMALTO 1-8mm

		(Contd. of page 5
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	
· UN "Model Regulation":	-	

# 15 Regulatory information

· Labelling accordi	
	ng components of labelling:
Cement, portland	
· Hazard statement	
H315 Causes skin	
H318 Causes serie	
	in allergic skin reaction.
H335 May cause r	espiratory irritation.
• Precautionary sta	tements
P102	Keep out of reach of children.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- R37/38 Irritating to respiratory system and skin.
- R41 Risk of serious damage to eyes.
- *R43* May cause sensitisation by skin contact.
- · Department issuing MSDS: Product safety department.
- · Contact:
- Mrs. Demirtzoglou

### Mrs. Papageorgiou

(Contd. on page 7)



Printing date 14.05.2014

Revision: 29.04.2014

### Trade name: MULTIFILL SMALTO 1-8mm

• _	Abbreviations and acronyms:
	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning
1	International Transport of Dangerous Goods by Rail)
1	ATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
1	CAO: International Civil Aviation Organization
1	CAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
2	ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
(	Carriage of Dangerous Goods by Road)
1	MDG: International Maritime Code for Dangerous Goods
1	ATA: International Air Transport Association
(	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
1	EINECS: European Inventory of Existing Commercial Chemical Substances
l	ELINCS: European List of Notified Chemical Substances
(	CAS: Chemical Abstracts Service (division of the American Chemical Society)
5	Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
l	Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Ś	Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
5	STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3