ouilding qualit

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.07.2014

Version number 1

Revision: 24.07.2014

1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Trade name: AQUAMAT · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Sealer · Details of the supplier of the safety data sheet · Manufacturer/Supplier: ISOMAT S.A. Building Chemicals & Mortars 17th km Thessaloniki-Ag. Athanasios GR-57003 Ag. Athanasios Greece • Further information obtainable from: purchase@isomat.gr • Emergency telephone number: +30 2310 576 000 2 Hazards identification · Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant *R37/38-41*: Irritating to respiratory system and skin. Risk of serious damage to eyes. Xi; Sensitising *R43*: May cause sensitisation by skin contact. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05, GHS07 · Signal word Danger · Hazard-determining components of labelling: Cement, portland · Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

GB

**isomat** building quality

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.07.2014

Version number 1

Revision: 24.07.2014

Trade name: AQUAMAT

	(Contd. of page 1)
H318 Causes seri	ous eye damage.
H317 May cause of	an allergic skin reaction.
H335 May cause	respiratory irritation.
· Precautionary sta	tements
P102	Keep out of reach of children.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• Other hazards	
formaldehydes.	not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or

- · Results of PBT and vPvB assessment
- · *PBT:* Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

### • Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

 CAS: 65997-15-1
 Cement, portland
 25-50%

 EINECS: 266-043-4
 Xi R37/38-41; Xi R43
 25-50%

 Eye Dam. 1, H318; I Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE
 3, H335

• Additional information: For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

### · Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

Printing date 24.07.2014

building quality

Version number 1

Revision: 24.07.2014

(Contd. of page 2)

Trade name: AQUAMAT

· Advice for firefighters

• Protective equipment: No special measures required.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

### · Handling:

- · Precautions for safe handling Prevent formation of dust.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, portland

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust \*\*respirable dust

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

(Contd. on page 4)

GB

Printing date 24.07.2014

building quality

Version number 1

Revision: 24.07.2014

(Contd. of page 3)

Trade name: AQUAMAT

the chemical mixture.

degradation · Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ Selection of the glove material on consideration of the penetration times, rates of diffusion and the The selection of the suitable gloves does not only depend on the material, but also on further marks of quality

and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

# 9 Physical and chemical properties

Appearance: Form:	Solid	
Form: Colour:		
Odour:	According to product specification Uncharacteristic.	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density at 20 °C:	1.39 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Soluble.	

Printing date 24.07.2014

Version number 1

Revision: 24.07.2014

Trade name: AQUAMAT

· Partition coefficient (n-octanol/water): Not determined.

- · Viscosity:
- Dynamic:
- Kinematic:
- Other information

Not applicable. Not applicable. No further relevant information available.

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

### 12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 6)

GB



(Contd. of page 4)

<sup>·</sup> Toxicity

Printing date 24.07.2014

building quality

Version number 1

Revision: 24.07.2014

Trade name: AQUAMAT

(Contd. of page 5)

## 13 Disposal considerations

### · Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information		
· UN-Number · ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name	, ou	
· ADR	Void	
· ADN, IMDG, IATA	Void	
• Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
• Environmental hazards: • Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· UN "Model Regulation":		

### 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS05, GHS07
- Signal word Danger
- *Hazard-determining components of labelling: Cement, portland*
- · Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.

· Precautionary statements

- P102 Keep out of reach of children.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- *P280 Wear protective gloves/protective clothing/eye protection/face protection.*
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 7)

GB -

Printing date 24.07.2014

building quality

Version number 1

Revision: 24.07.2014

Trade name: AQUAMAT (Contd. of page 6) *P333+P313* If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. R37/38 Irritating to respiratory system and skin. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. · Department issuing MSDS: Product safety department. · Contact: Mrs. Demirtzoglou Mrs. Papageorgiou · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3