


building quality

Printing date 05.11.2013

Revision: 05.11.2013



Safety data sheet according to 1907/2006/EC, Article 31

- GB

isomat

building quality

Printing date 05.11.2013

Revision: 05.11.2013

Trade name: EPOMAX-STUCCO (B) (Contd. of page 1) • Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. • Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · Label elements · Labelling according to EU guidelines: The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. • Code letter and hazard designation of product: Xi Irritant N Dangerous for the environment · Hazard-determining components of labelling: polyaminoamide 3,6-diazaoctanethylenediamin · Risk phrases: 38 Irritating to skin. 41 Risk of serious damage to eyes. 43 May cause sensitisation by skin contact. 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. • Safety phrases: 16 Keep away from sources of ignition - No smoking. 24 Avoid contact with skin. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 26 *36/37/39 Wear suitable protective clothing, gloves and eye/face protection.* · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients · Chemical characterization: Mixtures

Safety data sheet according to 1907/2006/EC, Article 31

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 68410-23-1	polyaminoamide	10-30%
	🗙 Xi R38-41; 🗙 Xi R43; 🏪 N R50/53	
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 2039-61-6	butyl diglycol ether	1-5%
	🗙 Xi R36	
	🚯 Eye Irrit. 2, H319	1
CAS: 112-24-3	3,6-diazaoctanethylenediamin	1-2%
EINECS: 203-950-6	C R34; Xn R21; Xi R43 R52/53	
	Skin Corr. 1B, H314; (1) Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	1

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

building quality Printing date 05.11.2013

Revision: 05.11.2013

Trade name: EPOMAX-STUCCO (B)

(Contd. of page 2)

4 First aid measures

· Description of first aid measures

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions:
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling Keep receptacles tightly sealed.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

building quality Printing date 05.11.2013

Revision: 05.11.2013

Trade name: EPOMAX-STUCCO (B)

(Contd. of page 3) · Control parameters · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Additional information: The lists valid during the making were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. · Respiratory protection: Not required. **Protection of hands:** Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Eve protection: Tightly sealed goggles 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid

 Colour:
 Grey Characteristic

 Odour:
 Characteristic

 Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

 Flash point:
 > 100 °C

 · Self-igniting:
 Product is not selfigniting.

(Contd. on page 5)

GB -

somat

building quality

Printing date 05.11.2013

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 05.11.2013

Trade name: EPOMAX-STUCCO (B)

		(Contd. of page 4)
• Danger of explosion:	Product does not present an explosion hazard.	
· Density at 20 °C:	1.5 g/cm ³	
• Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
Viscosity: Dynamic at 20 °C: Other information	8000000 mPas No further relevant information available.	

10 Stability and reactivity

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials: No further relevant information available.*
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:
- The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
- **Remark:** Very toxic for fish
- Additional ecological information:
- General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies.
- Very toxic for aquatic organisms
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

Somat Safety data sheet

according to 1907/2006/EC, Article 31

building quality Printing date 05.11.2013

Revision: 05.11.2013

(Contd. of page 5)

Trade name: EPOMAX-STUCCO (B)

• *Other adverse effects No further relevant information available.*

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADR, IMDG, IATA	3082
UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S.
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU
I ATT A	N.O.S. (polyaminoamide)
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQU N.O.S.
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
Packing group ADR, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substance polyaminoamide
Marine pollutant:	Yes
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
Special marking (ADK). Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Danger code (Kemler): EMS Number:	90 F-A,S-F
	,
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
ADR	1.07
Limited quantities (LQ) Transport category	LQ7
	5

GB



building quality

Printing date 05.11.2013

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 05.11.2013

Trade name: EPOMAX-STUCCO (B)

(Contd. of page 6)

· UN "Model Regulation":

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- Code letter and hazard designation of product:
- Xi Irritant

N Dangerous for the environment

· Hazard-determining components of labelling:

polyaminoamide 3,6-diazaoctanethylenediamin

· Risk phrases:

38 Irritating to skin.

- 41 Risk of serious damage to eyes.
- 43 May cause sensitisation by skin contact.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Safety phrases:

- *Keep away from sources of ignition No smoking.*
- 24 Avoid contact with skin.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- *36/37/39 Wear suitable protective clothing, gloves and eye/face protection.*
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- *H400 Very toxic to aquatic life.*
- H410 Very toxic to aquatic life with long lasting effects.
- *H412* Harmful to aquatic life with long lasting effects.
- R21 Harmful in contact with skin.
- R34 Causes burns.
- *R36 Irritating to eyes.*
- R38 Irritating to skin.
- *R41 Risk of serious damage to eyes.*
- *R43 May cause sensitisation by skin contact.*

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Department issuing MSDS: Product safety department.

isomat

building quality

Printing date 05.11.2013

Revision: 05.11.2013

Trade name: EPOMAX-STUCCO (B)

(Contd. of page 7) • Contact: Mrs. Demirtzoglou • Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

Safety data sheet according to 1907/2006/EC, Article 31