

Printing date 26.04.2010 Revision: 19.04.2010

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: EPOMAX-EK (A)

· Application of the substance / the preparation Epoxy resin

· Manufacturer/Supplier:

ISOMAT S.A.

17th km Thessaloniki-Ag.Athnasios

GR 57003 Ag.Athanasios

Greece

tel:++30-2310-576000

- · Further information obtainable from: purchase@isomat.gr
- · Information in case of emergency: ++30-2310-576000

2 Hazards identification

· Hazard description:



Xi Irritant

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 36/38 Irritating to eyes and skin.

R 43 May cause sensitisation by skin contact.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Contains epoxy constituents. See information supplied by the manufacturer.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:	
CAS: 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number aver	age 10-20%
NLP: 500-033-5 molecular weight \leq 700) \times Xi, \times_2 N; R 36/38-43-51/53	
	: 1 / 5 100/
CAS: 28064-14-4 BISPHENOL F- epichlorohydrin resin with number average molecular we <700	1ght 3-10%
Xi, ₩ N; R 36/38-43-51/53	
CAS: 68081-84-5 aliphatic glycidylether	1-5%
Xi, Xi, N; R 36/38-43-51/53	

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 2)



Printing date 26.04.2010 Revision: 19.04.2010

Trade name: EPOMAX-EK (A)

(Contd. of page 1)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

- · Handling:
- · Information for safe handling: No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 3)



Printing date 26.04.2010 Revision: 19.04.2010

Trade name: EPOMAX-EK (A)

(Contd. of page 2)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

portion
Fluid
White
Light
Undetermined.
> 200°C
141°C
Product is not selfigniting.
Product does not present an explosion hazard.
1.85 g/cm ³
Not miscible or difficult to mix.
3000 mPas

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Materials to be avoided:
- · Dangerous reactions No dangerous reactions known.
- $\cdot \textit{Dangerous decomposition products:} \ \textit{No dangerous decomposition products known.}$

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.

(Contd. on page 4)



Printing date 26.04.2010 Revision: 19.04.2010

Trade name: EPOMAX-EK (A)

(Contd. of page 3)

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

· Sensitisation May cause sensitisation by skin contact.

12 Ecological information

- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Description of goods: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: Yes
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class:

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:

Xi Irritant

· Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) BISPHENOL F- epichlorohydrin resin with number average molecular weight <700 aliphatic glycidylether

· Risk phrases:

36/38 Irritating to eyes and skin.

(Contd. on page 5)



Printing date 26.04.2010 Revision: 19.04.2010

Trade name: EPOMAX-EK (A)

(Contd. of page 4)

43 May cause sensitisation by skin contact.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Safety phrases:

2 Keep out of the reach of children.

24/25 Avoid contact with skin and eyes.

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

- 37 Wear suitable gloves.
- 46 If swallowed, seek medical advice immediately and show this container or label.

· Special labelling of certain preparations:

Contains epoxy constituents. See information supplied by the manufacturer.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

36/38 Irritating to eyes and skin.

- 43 May cause sensitisation by skin contact.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- · Department issuing MSDS: Product safety department.
- · Contact: Mrs. Demirtzoglou

GB