

Printing date 26.04.2010 Revision: 19.04.2010

## 1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: EPOMAX-EK (B)
- · Application of the substance / the preparation Hardening agent/ Curing agent
- · Manufacturer/Supplier:

ISOMAT S.A.

17th km Thessaloniki-Ag.Athnasios

GR 57003 Ag. Athanasios

Greece

tel:++30-2310-576000

- · Further information obtainable from: purchase@isomat.gr
- · Information in case of emergency: ++30-2310-576000

### 2 Hazards identification

· Hazard description:



Xi Irritant

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 38 Irritating to skin.

R 41 Risk of serious damage to eyes.

R 43 May cause sensitisation by skin contact.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

## 3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:					
CAS: 88375-39-7	Triethylenetetramine propoxylated	<b>X</b> Xi; R 38-41	10-20%		
CAS: 112-24-3 EINECS: 203-950-6	3,6-diazaoctanethylenediamin	C, X Xn; R 21-34-43-52/53	5-10%		

<sup>·</sup> Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 2)



Printing date 26.04.2010 Revision: 19.04.2010

Trade name: EPOMAX-EK (B)

(Contd. of page 1)

· After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

## 5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

### 6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection: Dilute with plenty of water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### 7 Handling and storage

- · Handling:
- · Information for safe handling: Keep receptacles tightly sealed.
- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 3)



Printing date 26.04.2010 Revision: 19.04.2010

Trade name: EPOMAX-EK (B)

(Contd. of page 2)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

	9 Physical	l and c	hemical	properties
--	------------	---------	---------	------------

· General Information	
Form:	Fluid
Colour:	Black
Odour:	Characteristic
· Change in condition	
Melting point/Melting range:	
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Ignition temperature:	335°C
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density at 20°C:	1.79 g/cm³
· Solubility in / Miscibility with	
water:	Fully miscible.
· Viscosity:	
Dynamic at 20°C:	44 mPas
· Solvent content:	
Solids content:	100.0 %

## 10 Stability and reactivity

- $\cdot \textit{Thermal decomposition / conditions to be avoided:} \ \textit{No decomposition if used according to specifications.}$
- · Materials to be avoided:
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.



Printing date 26.04.2010 Revision: 19.04.2010

Trade name: EPOMAX-EK (B)

(Contd. of page 3)

## 11 Toxicological information

· Acute toxicity:

· LD/LC50 values relevant for classification:

#### 112-24-3 3,6-diazaoctanethylenediamin

Oral LD50 2500 mg/kg (rat)
Dermal LD50 805 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Sensitisation May cause sensitisation by skin contact.

## 12 Ecological information

- · Additional ecological information:
- · General notes:

Generally not hazardous for water

Must not reach sewage water or drainage ditch undiluted or unneutralized.

### 13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

## 14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 8 Corrosive substances.

Danger code (Kemler): 80
UN-Number: 1760
Packaging group: III
Hazard label: 8

· Description of goods: 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE)

(Contd. on page 5)



Printing date 26.04.2010 Revision: 19.04.2010

Trade name: EPOMAX-EK (B)

(Contd. of page 4)

· Tunnel restriction code E

· Maritime transport IMDG:



· IMDG Class: 8
· UN Number: 1760
· Label 8
· Packaging group: III
· EMS Number: F-A,S-B
· Marine pollutant: No

· Proper shipping name: CORROSIVE LIQUID, N.O.S. (TRIETHYLENETETRAMINE)

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 8 · UN/ID Number: 1760 · Label 8 · Packaging group: III

• Proper shipping name: CORROSIVE LIQUID, N.O.S. (TRIETHYLENETETRAMINE)

## 15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:

Xi Irritant

· Hazard-determining components of labelling:

3,6-diazaoctanethylenediamin

· Risk phrases:

38 Irritating to skin.

41 Risk of serious damage to eyes.

43 May cause sensitisation by skin contact.

· Safety phrases:

2 Keep out of the reach of children.

24/25 Avoid contact with skin and eyes.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

37/39 Wear suitable gloves and eye/face protection.

46 If swallowed, seek medical advice immediately and show this container or label.

56 Dispose of this material and its container to hazardous or special waste collection point.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 6)



Printing date 26.04.2010 Revision: 19.04.2010

Trade name: EPOMAX-EK (B)

(Contd. of page 5)

- · Relevant R-phrases
- 21 Harmful in contact with skin.
- 34 Causes burns.
- 38 Irritating to skin.
- 41 Risk of serious damage to eyes.
- 43 May cause sensitisation by skin contact.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- · Department issuing MSDS: Product safety department.
- · Contact: Mrs. Demirtzoglou

GB